Paper / Subject Code: 49605 / CIRCUITS AND TRANSMISSION LINES


S.E. SEM III / ELTL / CREDIT BASE / MAY 2019 / 30.05.2019

Time: 3 Hours


Total Marks: 80

N.B.


- 1) Question No. 1 is Compulsory
- 2) Out of remaining questions, attempt any three
- 3) Assume suitable data if required
- 4) Figures to the right indicate full marks







(B) In the network shown in Fig., at t = 0, switch is opened. Calculate v, $\frac{dv}{dt}$ at t = 0.




- (C) The Z parameters of a 2 port network are, $Z_{11} = 20 \Omega$, $Z_{22} = 30 \Omega$, $Z_{12} = Z_{21} = 05$ 10 Ω . Find Y parameters.
- (D) Two two port networks are connected in parallel. Prove that the sum of the corresponding individual parameters is equal to the overall y parameters.

71738


Page 1 of 4

Paper / Subject Code: 49605 / CIRCUITS AND TRANSMISSION LINES


2 (A) The network of Fig. is under steady state with switch at position 1. At t = 0, switch is moved to position 2. Find i (t).



(B) The Z-parameters of a two port are : $Z_{11} = 20 \Omega$, $Z_{12} = Z_{21} = 10 \Omega$, $Z_{22} = 30 \Omega$. 10 Find equivalent T-network.



3 (A) Determine Thevenin's equivalent network for the Fig. shown.



10

- (B) The parameters of a transmission lines are R = $65\Omega/km$, L=1.6mH/km, G = 2.25 10 mmho/km, C=0.1 μ F/km. Find
 - i) Characteristic Impedance


71738

Paper / Subject Code: 49605 / CIRCUITS AND TRANSMISSION LINES

- ii) Propagation Constant
- iii) Attenuation Constant
- iv) Phase Constant at 1 kHz
- 4 (A) Determine whether following functions are positive real


- i) $\frac{s^4 + 2s^3 + 3s^2 + 1}{s^4 + s^3 + 3s^2 + 2s + 1}$
- ii) $\frac{s^2 + 2s}{s^2 + 1}$
- (B) In the network of Fig. find V_0 .





5 (A) Find Y-parameters for the network shown in Fig





(B) Realize the following functions in Foster I and Foster II form

10

$$F(s) = \frac{4(s+1)(s+3)}{(s+2)(s+6)}$$

71738

Page 3 of 4

- 6 (A) A transmission line has a characteristics impedance of 50 ohm and terminate in a load Z_L = 25 + j50 ohm. Use smith chart and Find VSWR and Reflection coefficient at the load.
 - (B) The switch in Fig. is open for a long time and closes at t = 0. Determine i (t) 10 for t > 0.

